Level 3 – AODA Content Edits

Edit Type	Edit Number	Error Category	Program Edit Level	Edit Description	Error Message
Content	A001A	А	Batch Reject	The submission overlaps an existing accepted submission.	INVALID SEQUENCE: A submission cannot overlap an existing accepted submission.
Content	A002B	Α	Batch Reject	A C/R record cannot reverse another C/R record.	INVALID RECORD: A C/R record cannot reverse another C/R record.
Content	A004A	Α	Batch Reject	A record of same Record Type and Adjustment Type cannot reference the same parent record within the same submission.	DUPLICATE RECORD: Multiple records of the same type with same parent_record_id cannot exist.
Content	A005A	A	Batch Reject	A record of same Record Type and Adjustment Type cannot reference the same parent record from a previous submission.	DUPLICATE RECORD: Multiple records of the same type with same parent_record_id cannot exist.
Content	D002A	R	Batch Reject	Submitter Organization ID on the detail record must be a valid organization for the Submitting Organization found in the header record.	MISMATCHING DATA. Submitter Organization ID on the detail record is not a valid organization for the Submitting Organization found on the header record.
Content	D002B	R	Batch Reject	The Submitter Organization ID provided in the detail record must be found on the lookup table.	INVALID DATA: Submitter_organization_id is not valid.
Content	D004B	R	Batch Reject	Duplicate Record ID's must not exist within different submissions.	DUPLICATE RECORD: The record_id is not unique for this organization. Different submissions contain the same record_id.
Content	D005A	Α	Batch Reject	When the Record Type equals O, the Parent Record ID must be null.	INVALID DATA: Record_type is an original, and the parent_record_id is not null.
Content	D005B	A	Batch Reject	When the Record Type = C data must be provided in the Parent Record field.	MISSING DATA: Record_type is an adjustment, and the parent_record_id is not provided.
Content	D005C	Α	Batch Reject	When the Record Type equals C the data in the Parent Record ID must exist as a Record ID for that organization.	MISSING RECORD: Parent_record_id does not exist as a record_id.
Content	D005F	Α	Batch Reject	The Parent Record ID cannot equal the Record ID.	INVALID DATA: The parent_record_id cannot equal the record_id.

|--|

Level 3 – AODA Content Edits

MEDS - LTCare Encounter Reporting

Edit Type	Edit Number	Error Category	Program Edit Level	Edit Description	Error Message
Content	D006D	Α	Batch Reject	When Record Type equals "O" and the data is provided, the Original ID must equal the Record ID.	INVALID DATA: Record_type is an original, and the original_id does not equal record_id.
Content	D008B	Α	Batch Reject	Comparing numeric fields on a reversal to its parent.	MISMATCHING DATA: Numeric data on the reversal adjustment record (CR) is not the inverse of the parent.
Content	D008C	Α	Batch Reject	Comparing alpha and date fields on a reversal to its parent.	MISMATCHING DATA: Non- numeric data on the reversal adjustment record (CR) is not the same as the parent.
Content	D008F	R	Batch Reject	Reversal adjustment record must exist before a new adjustment record is created.	INVALID SEQUENCE: New adjustment record (CN) exists when the reversal adjustment record does not exist.
Content	D009A	Α	Batch Reject	When the Record Type = C, Adjustment Type must equal R or N.	INVALID DATA: Adjustment_type is not valid.
Content	D009B	Α	Batch Reject	When Record Type = O Adjustment Type must be null.	INVALID DATA: Record_type is an original, and the adjustment_type is not null.
Content	D010E	Α	Batch Reject	Adjustment Type Detail must be a valid value.	INVALID DATA: Adjustment_type_detail is not valid.
Content	D010F	Α	Batch Reject	When Adjustment Type Detail = GL then SPC End Reason and SPC End Date must be populated.	INVALID DATA: Adjustment_type_detail is GL and spc_end_reason or spc_end_date was not populated.
Content	D030D	М	Batch Accept	Recipient ID must exist in the master lookup table.	INFORMATIONAL DATA: Recipient ID is not valid.
Content	D042A	S	Batch Accept	Service Date From must be provided.	MISSING DATA. Service_date_from is not provided.
Content	D042C	S	Batch Reject	Service Date From must be less than or equal to the month end posting date.	INVALID DATA. Service_date_from is not less than or equal to the month end
Content	D042D	S	Batch Reject	Service Date From cannot be less than the cutover date for this organization.	posting_date. INVALID DATA: Service_date_from is before cutover date.
Content	D042E	S	Batch Reject	Service Date From cannot be less than the SPC End Date of a different SPC segment than the corresponding Service Date To.	INVALID DATA: Service_date_from and service_date_to span an spc_end_date.

Level 3 – AODA Content Edits

MEDS - LTCare Encounter Reporting

Edit Type	Edit Number	Error Category	Program Edit Level	Edit Description	Error Message
Content	D043A	S	Batch Accept	Service Date To must be provided.	MISSING DATA. Service_date_to is not provided.
Content	D043C	S	Batch Reject	Service Date To must be greater than or equal to Service Date From.	INVALID DATA. Service Date To is not greater than or equal to Service Date From.
Content	D052A	S	Batch Reject	Quantity must be provided.	MISSING DATA: Quantity is not provided.
Content	D053B	S	Batch Reject	When data is provided, Unit or Basis for Measurement Code must equal MI, HR, DA, WK, YR, Q1, F2, UN, MJ, or	INVALID DATA. Unit_or_basis_of_ measurement is not valid.
Content	D053D	S	Batch Reject	DH. Unit or Basis of Measurement Code must be provided for an encounter transaction.	MISSING DATA: Unit_or_basis_for_measurement_ code is not provided.
Content	D059B	R	Batch Reject	Posting Date must be greater than or equal to Header's Begin Posting Date.	INVALID DATA: Posting_date is not greater than or equal to header's begin_posting_date.
Content	D059C	R	Batch Reject	Posting Date must be less than or equal to Header's End Posting Date.	INVALID DATA: Posting_date is not less than or equal to header's end_posting_date.
Content	D071D	М	Batch Reject	When the Recipient Birth Date is provided and the Recipient is found in the Recipient Master file with a DOB, then the Recipient Birth Date must = DOB in Recipient Master File.	MISMATCHING DATA: Recipient_birth_date does not match the date of birth found in the MMIS recipient master file.
Content	D071F	М	Batch Reject	Recipient Birth Date must be less than or equal to the earliest SPC Start Date and the earliest Service Date From.	INVALID DATA: Recipient_birth_date was greater than the earliest spc_start_date.
Content	D074C	S	Batch Reject	SPC must exist in the SPC lookup table for this line of business.	INVALID DATA: SPC is not valid for this line of business.
Content	D074S	S	Batch Reject	SPC must be valid for the Delivery Year Month.	INVALID DATA: SPC is not valid for this delivery_year_month.
Content	D075C	S	Batch Reject	When the Diagnosis Code Principal is provided then the code must exist in the master lookup table.	INVALID DATA: Diagnosis_code_principal is not valid.
Content	D075J	S	Batch Reject	When the Diagnosis Code Principal is provided it must be in the master lookup table and within date range (based on Delivery Year Month).	INVALID DATA: Diagnosis_code_principal is not valid for this delivery_year_month.

Ramona Johnson

Author:

Revision Date: 02/12/2008

Approver:

Level 3 – AODA Content Edits

Edit Type	Edit Number	Error Category	Program Edit Level	Edit Description	Error Message
Content	D202B	М	Batch Reject	Characteristic 1 must be a valid value for the Delivery Year Month.	INVALID DATA: Characteristic1 is not a valid value for this delivery_year_month.
Content	D203B	М	Batch Reject	When supplied Characteristic 2 must be a valid value for the Delivery Year Month.	INVALID DATA: Characteristic2 is not a valid value for this delivery_year_month.
Content	D203C	M	Batch Reject	When supplied Characteristic 2 cannot be a duplicate of Characteristic1.	DUPLICATE DATA: Characteristic2 is a duplicate of characteristic1.
Content	D204B	М	Batch Reject	When supplied Characteristic 3 must be a valid value for the Delivery Year Month.	INVALID DATA: Characteristic3 is not a valid value for this delivery_year_month.
Content	D204C	М	Batch Reject	When supplied Characteristic 3 cannot be a duplicate of Characteristic1 or 2.	DUPLICATE DATA: Characteristic3 is a duplicate of characteristic1 or 2.
Content	D204D	M	Batch Reject	Characteristic 3 cannot be populated unless Characteristic 2 is populated.	SEQUENCE ERROR: Characteristic3 is populated and characteristic2 is not.
Content	D210B	S	Batch Reject	County Code must be a valid value.	INVALID DATA: County_code is not a valid value.
Content	D235B	М	Batch Reject	Gender must be valid value. M or F.	INVALID DATA: Gender is not a valid value.
Content	D235C	М	Batch Reject	Gender must be F if Pregnant at Time of Admission is Y.	INVALID DATA: Pregnant_at_time_of_admission is Y and gender is not F.
Content	D239B	М	Batch Reject	Hispanic Latino must be a valid value. Y or N.	INVALID DATA: Hispanic_latino is not a valid value.
Content	D240B	М	Batch Reject	When provided MA Number must be a valid value. Exists in lookup table.	INVALID DATA: Ma_number does not exist in the eligibility table.
Content	D245B	S	Batch Reject	Provider Number must be a valid value. If first digit is not in (0, 1, or 9), then the number entered must be in the Provider Table. If first digit = 9, it must be in the Worker Table matching on the last 9 digits. If first digit = 0 or 1 (state provider), then the first 7 digits must match a wild card or the entire number must be found in the provider table.	INVALID DATA: Provider_number is not a valid value.

Level 3 – AODA Content Edits

Edit Type	Edit Number	Error Category	Program Edit Level	Edit Description	Error Message
Content	D245C	S	Batch Reject	First two digits of the Provider number cannot equal 21.	INVALID DATA: Provider_number begins with 21.
Content	D247B	М	Batch Reject	Race Code 1 must be a valid value.	INVALID DATA: Race_code1 is not a valid value.
Content	D248B	М	Batch Reject	When provided Race Code 2 must be a valid value.	INVALID DATA: Race_code2 is not a valid value.
Content	D248C	М	Batch Reject	When provided Race Code 2 cannot be a duplicate of Race Code 1.	DUPLICATE DATA: Race_code2 is a duplicate of race_code1.
Content	D249B	M	Batch Reject	When provided Race Code 3 must be a valid value.	INVALID DATA: Race_code3 is not a valid value.
Content	D249C	М	Batch Reject	When provided Race Code 3 cannot be a duplicate of Race Code 1 or 2.	DUPLICATE DATA: Race_code3 is a duplicate of race_code1 or 2.
Content	D249D	М	Batch Reject	Race Code 3 cannot be populated unless Race Code 2 is populated.	SEQUENCE ERROR: Race_code3 is populated and race_code2 is not.
Content	D250B	М	Batch Reject	When provided Race Code 4 must be a valid value.	INVALID DATA: Race_code4 is not a valid value.
Content	D250C	М	Batch Reject	When provided Race Code 4 cannot be a duplicate of Race Code 1, 2 or 3.	DUPLICATE DATA: Race_code4 is a duplicate of race_code1, 2 or 3.
Content	D250D	М	Batch Reject	Race Code 4 cannot be populated unless Race Code 2 and 3 are populated.	SEQUENCE ERROR: Race_code4 is populated and race_code2 and 3 are not.
Content	D251B	М	Batch Reject	When provided Race Code 5 must be a valid value.	INVALID DATA: Race_code5 is not a valid value.
Content	D251C	М	Batch Reject	When provided Race Code 5 cannot be a duplicate of Race Code 1, 2, 3 or 4.	DUPLICATE DATA: Race_code5 is a duplicate of race_code1, 2, 3 or 4.
Content	D251D	М	Batch Reject	Race Code 5 cannot be populated unless Race Code 2, 3 and 4 are populated.	SEQUENCE ERROR: Race_code5 is populated and race_code2, 3 and 4 are not.
Content	D253B	S	Batch Reject	When provided Referral Source must be a valid value.	INVALID DATA: Referral_source is not a valid value.

Revision Date:	02/12/2008	Author:	Ramona Johnson	Approver:	
----------------	------------	---------	----------------	-----------	--

Level 3 – AODA Content Edits

Content D257B M Batch Accept When SSN is provided and one exists in the Recipient Client Lookup Xref table and Adjustment Type Detail is not CXC them they must equal. Content D257B S Batch Reject SPC Delivery Year Month must be within the SPC Start and End Date of the existing and the existing	Edit	Edit	Error	Program		
in the Recipient Client Lookup Xref table and Adjustment Type Detail is not CKC then they must equal. Content D257B S Batch Reject SPC Delivery Year Month must be within the SPC Start and End Date if the SPC Start and End Date if provided and it cannot be less than the Service Date To. Content D258B S Batch Reject When provided SPC End Date cannot be Service Date To ill provided. Content D258C S Batch Reject When provided SPC End Date cannot be greater than Header End Posting Date. Content D258B S Batch Reject When provided SPC End Date cannot be greater than Header End Posting Date. Content D258B S Batch Reject When provided SPC End Date cannot be greater than Header End Posting Date. Content D258B S Batch Reject If two records, A and B, in the same submission have matching SPC, Target Group, Provider Number, Recipient ID, and Submitter Organization ID values and record A has an SPC End Date. then record B service Date To Is less than record As SPC End Date. Content D259B S Batch Reject When provided SPC End Date cannot be greater than the end_posting_date. Content D259B S Batch Reject When provided SPC End Date cannot be greater than the send submission have matching SPC, Target Group, Provider Number, Recipient ID, and Submitter Organization ID values and record A has an SPC End Date is less than record As SPC End Date. Content D259B S Batch Reject When provided SPC End Reason must be a valid value. 01-09, 14-16. Content D259C S Batch Reject When SPC End Date is provided the SPC End Reason is required. Content D260B S Batch Reject When SPC End Date is provided SPC MALID DATA: Spc_end_date was provided and spc_end_reason is not a valid value. Content D260B S Batch Reject When SPC End Date is provided SPC Review Due Year Month is provided and spc_end_date is provided and spc_end_date. Content D260B S Batch Reject When SPC End Date is provided SPC Review Que year_month is often date. Content D260B S Batch Reject When SPC End Date is provided SPC Review Que year_month is provided and spc_end_date.					Edit Description	Error Message
within the SPC Start and End Date if the SPC Start Date is provided else; the SPC Start Date is provided else; the SPC Start Date is provided else; the SPC Start Date is provided and it cannot be less than SPC Start Date is provided and it cannot be less than SPC Start Date is less than the SPC Start and End Dates. Content D258C S Batch Reject When SPC End Date cannot be SPC End Date cannot be speaked and it cannot be less than the SPC Start Date if Inspection of the SPC End Date cannot be greater than Header End Posting Date. Content D258D S Batch Reject When sprovided SPC End Date cannot be greater than Header End Posting Date. Content D258E S Batch Reject If two records, A and B, in the same submission have matching SPC, Target Group, Provider Number, Recipient ID, and Submitter Organization ID values and record A has an SPC End Date if its Service Date IT oils less than record As SPC End Date is less than record As SPC End Date in Service Date IT oils Service Date IT oils seven and SPC End Date if its Service Date IT oils seven and SPC End Date in Service Date IT oils Service Date IT oils (All Data). Content D259B S Batch Reject When SPC End Date is provided the SPC End Reason must be a valid value. 01-09, 14-16. Content D259C S Batch Reject When SPC End Date is provided the SPC End Reason is required. MISSING DATA: Spc_end_date was not. INVALID DATA: Spc_end_date was not and the submission that have matching SPC key information. MISSING DATA: Spc_end_date was not and the end_posting_date. INVALID DATA: Spc_end_date was not and the submission that have matching SPC key information. Content D259C S Batch Reject When SPC End Date is provided the SPC End Date is provided and Spc_end_reason was not. Content D260B S Batch Reject When SPC End Date is provided SPC Review Due Year Month must not be supplied. Content D260B S Batch Reject When SPC End Date is provided SPC Review Due Year Month must not be supplied. Content D260B S Batch Reject When SPC End Date is provided SPC Review Due Year Month must	Content	D255B	М	Batch Accept	in the Recipient Client Lookup Xref table and Adjustment Type Detail is	Social_security_number does not match the existing
be less than SPC Start Date if provided and it cannot be less than the Service Date To if provided. Content D258C S Batch Reject When SPC End Reason is provided and spc_end_date was not. Content D258D S Batch Reject When provided SPC End Date cannot be greater than Header End Posting Date. Content D258E S Batch Reject If two records, A and B, in the same submission have matching SPC, Target Group, Provider Number, Recipient ID, and Submitter Organization ID values and record A has an SPC End Date if its Service Date to its less than record A's SPC End Date if its Service Date to its less than record A's SPC End Date is greater than the availed value. Content D259C S Batch Reject When provided SPC End Date is provided the SPC End Reason is required. Content D260B S Batch Reject When SPC End Date is provided the SPC End Reason is required. Content D260B S Batch Reject When SPC Review Due Year Month is provided if must be greater than the current year month. Content D260C S Batch Reject When SPC End Date is provided SPC Review Due Year Month must not be supplied. Content D261B S Batch Reject When SPC End Date is provided SPC Review Due Year Month must not be supplied. INVALID DATA: Spc_end_date is provided if must be greater than the current year month. INVALID DATA: Spc_end_date is provided in must be greater than the current year month. INVALID DATA: Spc_end_date is provided SPC Review Due Year Month must not be supplied. INVALID DATA: Spc_end_date is provided sPC Review Due Year Month must not be supplied. INVALID DATA: Spc_end_date is provided and spc_erview due_year_month was supplied. INVALID DATA: Spc_erview_due_year_month was supplied. INVALID DATA: Spc_end_date is provided and spc_erview due_year_month was supplied.	Content	D257B	S	Batch Reject	within the SPC Start and End Date if the SPC Start Date is provided else it must be the same month year as the	Spc_delivery_year_month is not within the SPC Start and End
SPC End Date is required. Spc_end_feason was provided and spc_end_date was not. Content D258D S Batch Reject When provided SPC End Date cannot be greater than Header End Posting Date. Content D258E S Batch Reject If two records, A and B, in the same submission have matching SPC, Target Group, Provider Number, Recipient ID, and Submitter Organization ID values and record A has an SPC End Date, then record B must also have an SPC End Date if its service Date To is less than record A's SPC End Date a valid value. 01-09, 14-16. Content D259B S Batch Reject When SPC End Date is provided the SPC End Reason is required. Content D259C S Batch Reject When SPC End Date is provided the SPC End Reason is required. Content D260B S Batch Reject When SPC Review Due Year Month is provided it must be greater than the current year month. Content D260C S Batch Reject When SPC End Date is provided SPC Review Due Year Month must not be supplied. Content D261B S Batch Reject When SPC End Date is provided SPC Review Due Year Month must not be supplied. Content D261B S Batch Reject When SPC End Date is provided SPC Review Due Year Month must not be supplied. Content D261B S Batch Reject When SPC End Date is provided SPC INVALID DATA: Spc_end_date is provided and spc_end_reason was not. Content D261B S Batch Reject When SPC End Date is provided SPC INVALID DATA: Spc_end_date is provided and spc_end_reason was not. Content D261B S Batch Reject When SPC End Date is provided SPC INVALID DATA: Spc_end_date is provided and spc_end_end_end_end_end_end_end_end_end_end	Content	D258B	S	Batch Reject	be less than SPC Start Date if provided and it cannot be less than the	
be greater than Header End Posting Date. Content D258E S Batch Reject If two records, A and B, in the same submission have matching SPC, Target Group, Provider Number, Recipient ID, and Submitter Organization ID values and record A has an SPC End Date if its Service Date To is less than record A's SPC End Date if its Service Date To is less than record A's SPC End Date if its Service Date To is less than record A's SPC End Date if its Service Date To is less than record A's SPC End Date if its Service Date To is less than record A's SPC End Date if its Service Date To is less than record A's SPC End Date if its Service Date To is less than record A's SPC End Date is not a valid value. Content D259C S Batch Reject When SPC End Date is provided the SPC End Reason is required. Content D260B S Batch Reject When SPC Review Due Year Month is provided and spc_end_reason was not. Content D260B S Batch Reject When SPC Review Due Year Month is provided it must be greater than the current year month. Content D260C S Batch Reject When SPC End Date is provided SPC Review Due Year Month must not be supplied. NVALID DATA: Spc_end_date is provided and Spc_review_due_year_month is not greater than the current year month. INVALID DATA: Spc_end_date is provided and Spc_review_due_year_month was supplied. Content D261B S Batch Reject When provided SPC Start Date cannot be greater than the end_posting_date.	Content	D258C	S	Batch Reject		Spc_end_reason was provided
Submission have matching SPC, Target Group, Provider Number, Recipient ID, and Submitter Organization ID values and record A has an SPC End Date, then record B must also have an SPC End Date if its Service Date To is less than record A's SPC End Date if its Service Date To is less than record A's SPC End Date. Content D259B S Batch Reject When provided SPC End Reason must be a valid value. 01-09, 14-16. Content D259C S Batch Reject When SPC End Date is provided the SPC End Reason is required. Content D260B S Batch Reject When SPC Review Due Year Month is provided it must be greater than the current year month. Content D260C S Batch Reject When SPC End Date is provided SPC Review Due Year Month is provided it must be greater than the current year month. Content D260C S Batch Reject When SPC End Date is provided SPC Review Due Year Month is provided it must be greater than the current year month. Content D260C S Batch Reject When SPC End Date is provided SPC Review Due Year Month must not be supplied. Content D260B S Batch Reject When SPC End Date is provided SPC Review Due Year Month must not be supplied. Content D260C S Batch Reject When SPC End Date is provided SPC Review Due Year Month must not be supplied. Content D261B S Batch Reject When SPC Start Date cannot be greater than the end_posting_date.	Content	D258D	S	Batch Reject	be greater than Header End Posting	greater than the
be a valid value. 01-09, 14-16. is not a valid value. Content D259C S Batch Reject When SPC End Date is provided the SPC End Reason is required. MISSING DATA: Spc_end_date was provided and spc_end_reason was not. Content D260B S Batch Reject When SPC Review Due Year Month is provided it must be greater than the current year month. Content D260C S Batch Reject When SPC End Date is provided SPC Review Due Year Month must not be supplied. Content D261B S Batch Reject When provided SPC Start Date cannot be greater than the opting Date. NNVALID DATA: Spc_end_date is provided and Spc_review_due_year_month was supplied. NNVALID DATA: Spc_end_date is provided and Spc_review_due_year_month was supplied.	Content	D258E	S	Batch Reject	submission have matching SPC, Target Group, Provider Number, Recipient ID, and Submitter Organization ID values and record A has an SPC End Date, then record B must also have an SPC End Date if its Service Date To is less than record A's	does not match other records in this submission that have
SPC End Reason is required. Was provided and spc_end_reason was not. When SPC Review Due Year Month is provided it must be greater than the current year month. Spc_review_due_year_month is not greater than the current year month. When SPC End Date is provided SPC Review Due Year Month must not be supplied. Spc_review_due_year_month is not greater than the current year month. INVALID DATA: Spc_end_date is provided and Spc_review_due_year_month was supplied. Content D261B S Batch Reject When provided SPC Start Date cannot be greater than Header End Posting Date. INVALID DATA: Spc_start_date is greater than the end_posting_date.	Content	D259B	S	Batch Reject	•	
provided it must be greater than the current year month. Content D260C S Batch Reject When SPC End Date is provided SPC Review Due Year Month must not be supplied. Content D261B S Batch Reject When provided SPC Start Date cannot be greater than the current year month. NVALID DATA: Spc_end_date is provided and Spc_review_due_year_month was supplied. Content D261B S Batch Reject When provided SPC Start Date cannot be greater than the end_posting_date.	Content	D259C	S	Batch Reject		was provided and spc_end_reason
Review Due Year Month must not be supplied. Review Due Year Month must not be supplied. Provided and Spc_review_due_year_month was supplied. Content D261B S Batch Reject When provided SPC Start Date cannot be greater than Header End Posting greater than the end_posting_date.	Content	D260B	S	Batch Reject	provided it must be greater than the	Spc_review_due_year_month is not greater than the current year
be greater than Header End Posting greater than the Date. end_posting_date.	Content	D260C	S	Batch Reject	Review Due Year Month must not be	provided and Spc_review_due_year_month was
Revision Date: 02/12/2008 Author: Ramona Johnson Approver:	Content	D261B	S	Batch Reject	be greater than Header End Posting	greater than the
Variation Variation Variation	Revision Da	te: 02/12/2	008 Author	r. F	Ramona Johnson Approver:	

Level 3 – AODA Content Edits

Edit Type	Edit Number	Error Category	Program Edit Level	Edit Description	Error Message
Content	D261C	S	Batch Reject	When SPC Start Date is provided; records with matching SPC, Target Group, Provider Number, Recipient ID, and Submitter Organization ID values cannot have overlapping SPC Start and End Dates. An overlap occurs if: 1) The SPC Start or End Date falls between those of a closed SPC, or 2) The SPC Start or End Date of a previously-submitted record falls between this record's SPC Start and End Dates, or 3) The SPC End Date is greater than the SPC Start Date of an open SPC and the SPC Start Dates do not match, or 4) The SPC End Date is not provided and an open SPC exists with a different SPC Start Date, or 5) The SPC Start Date is less than or equal to the SPC End Date is not provided.	INVALID DATA: SPC segment overlaps a previously submitted SPC segment for this recipient.
Content	D261D	S	Batch Reject	SPC Start Date cannot be less than the cutover date for this organization.	INVALID DATA: Spc_start_date is before cutover date.
Content	D261E	S	Batch Reject	SPC Start Date cannot be greater than the Service Date From for this organization.	INVALID DATA: Spc_start_date is after the service_date_from.
Content	D262B	М	Batch Reject	State Abbreviation must be a valid value.	INVALID DATA: State_abbreviation is not a valid value.
Content	D267B	S	Batch Reject	Target Group must be a valid value. 04, 05, 17, 18, or 74.	INVALID DATA: Target_group is not a valid value.
Content	D271B	R	Warning	Worker ID must be a valid value. If first digit is not in (0, 1, or 9), then the number entered must be in the Provider Table. If first digit = 9, it must be in the Worker table matching on the last 9 digits. If first digit = 0 or 1 (State provider), then the first 7 digits must match wild card or the entire number must be found in the Provider Table. Cannot begin with 21.	INVALID DATA: Worker_id is not a HSRS worker id value.
Content	D271C	R	Batch Reject	First two digits of the Worker ID cannot equal 21.	INVALID DATA: Worker_id begins with 21.
Content	D273B	S	Batch Reject	When SPC is a medical service then the NPI must be provided.	MISSING DATA: SPC is a medical service and the npi was not provided.

|--|

Level 3 – AODA Content Edits

Edit Type	Edit Number	Error Category	Program Edit Level	Edit Description	Error Message
Content	D273C	R	Batch Reject	When NPI is provided then it must be a valid value.	INVALID DATA: NPI is not a valid value.
Content	D300B	М	Batch Reject	When supplied Age of First Use Primary must be less than or equal to the age of the client at the start of the episode Example: Current Date 01/01/2006, DOB 01/01/1990, Episode Start Date (earliest SPC start date or earliest Service Date From) 01/01/1995 then the Age of First Use must be 0-5 (01/01/1995 – 01/01/1990).	INVALID DATA: Age_of_first_use_primary is not between DOB and earliest spc_start_date.
Content	D300C	М	Batch Reject	Age of First Use Primary must be supplied if any of the following has a value supplied: Substance Problem Primary > 01, Usual Administration Primary or Use Frequency Primary.	MISSING DATA: Either substance_problem_primary > 01, usual_administration_primary or use_frequency_primary were populated and age_of_first_use_primary was not supplied.
Content	D300D	М	Batch Reject	Age of First Use Primary must be supplied if Brief Service = 'N' and codependent/Collateral = 'N'.	MISSING DATA: When brief_service is N and co_dependent_collateral is N then age_of_first_use_primary must be supplied.
Content	D301B	М	Batch Reject	When supplied Age of First Use Secondary must be less than or equal to the age of the client as of the header End Posting Date. Example: End Posting Date 01/31/2006, DOB 01/01/1990, then the Age of First Use must be 0-16 (01/01/1990 – 01/31/2006).	INVALID DATA: Age_of_first_use_secondary is not between DOB and the header end_posting_date.
Content	D301C	М	Batch Reject	Age of First Use Secondary must be supplied if any of the following has a value supplied: Substance Problem Secondary > 01, Usual Administration Secondary or Use Frequency Secondary.	MISSING DATA: Either substance_problem_secondary > 01, usual_administration_secondary or use_frequency_secondary were populated and age_of_first_use_secondary was not supplied.
Content	D302B	М	Batch Reject	When supplied Age of First Use Tertiary must be less than or equal to the age of the client as of the header End Posting Date. Example: End Posting Date 01/31/2006, DOB 01/01/1990, then the Age of First Use must be 0-16 (01/01/1990 – 01/31/2006).	INVALID DATA: Age_of_first_use_tertiary is not between DOB and the header end_posting_date.

Revision Date: 02/12/2008 Author: Ramona Johnson Approver:
--

Level 3 – AODA Content Edits

Edit Type	Edit Number	Error Category	Program Edit Level	Edit Description	Error Message
Content	D302C	М	Batch Reject	Age of First Use Tertiary must be supplied if any of the following has a value supplied: Substance Problem Tertiary > 01, Usual Administration Tertiary or Use Frequency Tertiary.	MISSING DATA: Either substance_problem_tertiary > 01, usual_administration_tertiary or use_frequency_tertiary were populated and age_of_first_use_tertiary was not supplied.
Content	D303B	S	Batch Reject	If Brief Service is Y it cannot have been N previously.	INVALID VALUE: Brief_service is Y and it was N previously.
Content	D303C	S	Batch Reject	If Brief Service is Y the SPC must be in group 2.	INVALID VALUE: Brief_service is Y and the SPC is not a brief service SPC.
Content	D303D	S	Batch Reject	Brief Service must be Y or N.	INVALID VALUE: Brief_service is not Y or N.
Content	D304B	S	Batch Reject	Close Status A is required if any other Closing Status (F,E,AR,LA) is entered.	MISSING DATA: Another Closing Status (F, E, AR or LA) has been supplied and close_status_a was not.
Content	D304C	S	Batch Reject	When supplied Close Status A must be a valid value. Valid values: 1-5.	INVALID VALUE: Close_status_a is not a valid value.
Content	D304D	S	Batch Reject	Close Status A must be null if SPC End Reason is null.	INVALID VALUE: Close_status_a was supplied and spc_end_reason was not.
Content	D304E	S	Batch Reject	Close Status A is required except when SPC End Reason > 03 or null.	MISSING DATA: Close_status_a is required for this record and was not supplied.
Content	D305B	S	Batch Reject	Close Status E is required if any other Closing Status (A,F,AR,LA) is entered.	MISSING DATA: Another Closing Status (A, F, AR or LA) has been supplied and close_status_e was not.
Content	D305C	S	Batch Reject	When supplied Close Status E must be a valid value. Valid values: 1-9.	INVALID VALUE: Close_status_e is not a valid value.
Content	D306B	S	Batch Reject	Close Status F is required if any other Closing Status (A,E,AR,LA) is entered.	MISSING DATA: Another Closing Status (A, E, AR or LA) has been supplied and close_status_f was not.
Content	D306C	S	Batch Reject	When supplied Close Status F must be a valid value. Valid values: 1-5.	INVALID VALUE: Close_status_f is not a valid value.

Revision Date:	02/12/2008	Author:	Ramona Johnson	Approver:	
----------------	------------	---------	----------------	-----------	--

Level 3 – AODA Content Edits

Edit Type	Edit Number	Error Category	Program Edit Level	Edit Description	Error Message
Content	D306D	S	Batch Reject	Close Status F must be null if SPC End Reason is null.	INVALID VALUE: Close_status_f was supplied and spc_end_reason was not.
Content	D307B	М	Batch Reject	Co Dependent Collateral must be a valid value of Y or N.	INVALID VALUE: Co_dependent_collateral must be a valid value of Y or N.
Content	D307C	М	Batch Reject	Co Dependent Collateral must be N if the SPC is in group 1.	INVALID VALUE: Co_dependent_collateral is not N and the SPC in the episode is not a co_dependent_collateral service.
Content	D307D	М	Batch Reject	Co Dependent Collateral must be Y if any Substance Problem Primary is 01.	INVALID VALUE: Co_dependent_collateral is N and substance_problem_primary is 01.
Content	D307E	М	Batch Reject	Co Dependent Collateral must be Y if it was previously N.	INVALID VALUE: Co_dependent_collateral is Y and it was previously N.
Content	D308B	S	Batch Reject	Close Status AR is required if any other Closing Status (A,F,E,LA) is entered.	MISSING DATA: Another Closing Status (A, F, E or LA) has been supplied and close_status_ar was not.
Content	D308C	S	Batch Reject	When supplied Close Status AR must be a valid value. Valid values: 00-96 and 0.	INVALID VALUE: Close_status_ar is not a valid value.
Content	D308D	S	Batch Reject	Close Status AR must be null if SPC End Reason is null.	INVALID VALUE: Close_status_ar was supplied and spc_end_reason was not.
Content	D309B	S	Batch Reject	Close Status LA is required if any other Closing Status (A,F,E,AR) is entered.	MISSING DATA: Another Closing Status (A, F, E or AR) has been supplied and close_status_la was not.
Content	D309C	S	Batch Reject	When supplied Close Status LA must be a valid value. Valid values: 01-07.	INVALID VALUE: Close_status_la is not a valid value.
Content	D309D	S	Batch Reject	Close Status LA must be null if SPC End Reason is null.	INVALID VALUE: Close_status_la was supplied and spc_end_reason was not.

Revision Date:	02/12/2008	Author:	Ramona Johnson	Approver:	
----------------	------------	---------	----------------	-----------	--

Level 3 – AODA Content Edits

Edit Type	Edit Number	Error Category	Program Edit Level	Edit Description	Error Message
Content	D310B	М	Batch Reject	When supplied Education at Time of Admission must be a valid value. Valid values: 01-12, 14, 16, 18.	INVALID DATA: Education_at_time_of_admission is not valid value.
Content	D310C	М	Batch Reject	If Brief Service and Co Dependent Collateral are N then Education at Time of Admission must be supplied.	MISSING DATA: Brief_service and co_dependent_collateral are N and education_at_time_of_admission was not supplied.
Content	D311B	М	Batch Reject	When supplied Employment Status must be a valid value. Valid values: 1-9.	INVALID DATA: Employment_status is not valid value.
Content	D311C	М	Batch Reject	If Brief Service and Co Dependent Collateral are N then Employment Status must be supplied.	MISSING DATA: Brief_service and co_dependent_collateral are N and employment_status was not supplied.
Content	D312B	М	Batch Reject	When supplied Family relationship must be a valid value. Valid values are 1-5.	INVALID DATA: Family_relationship is not a valid value.
Content	D312C	М	Batch Reject	If Brief Service and Co Dependent Collateral are N then Family Relationship must be supplied.	MISSING DATA: Brief_service and co_dependent_collateral are N and family_relationship was not supplied.
Content	D313B	М	Batch Reject	When supplied Pregnant at Time of Admission must be a valid value of Y or N.	INVALID DATA: Pregnant_at_time_of_admission is not a valid value.
Content	D313C	М	Batch Reject	If Brief Service and Co Dependent Collateral are N then Pregnant at Time of Admission must be supplied.	MISSING DATA: Brief_service and co_dependent_collateral are N and pregnant_at_time_of_admission was not supplied.
Content	D314B	М	Batch Reject	When supplied Registration Arrests must be < 98.	INVALID DATA: Registration_arrests is not a valid value.
Content	D314C	М	Batch Reject	If Brief Service and Co Dependent Collateral are N then Registration Arrests must be supplied.	MISSING DATA: Brief_service and co_dependent_collateral are N and registration_arrests was not supplied.
Content	D315B	М	Batch Reject	When supplied Registration Living Situation must be a valid value. Valid values: 01-07	INVALID DATA: Registration_living_situation is not a valid value.

Revision Date:	02/12/2008	Author:	Ramona Johnson	Approver:	
----------------	------------	---------	----------------	-----------	--

Level 3 – AODA Content Edits

Edit Type	Edit Number	Error Category	Program Edit Level	Edit Description	Error Message
Content	D315C	M	Batch Reject	If Brief Service and Co Dependent Collateral are N then Registration Living Situation must be supplied.	MISSING DATA: Brief_service and co_dependent_collateral are N and registration_living_situation was not supplied.
Content	D317B	S	Batch Reject	When supplied Substance Problem at Discharge must be a valid value. Valid values: 01-21	INVALID DATA: Substance_problem_at_discharge is not a valid value.
Content	D318B	M	Batch Reject	When supplied Substance Problem Primary must be a valid value. Valid values: 01-21.	INVALID DATA: Substance_problem_primary is not a valid value.
Content	D318C	М	Batch Reject	If Brief Service and Co Dependent Collateral are N then Substance Problem Primary must be supplied.	MISSING DATA: Brief_service and co_dependent_collateral are N and substance_problem_primary was not supplied.
Content	D318D	М	Batch Reject	Substance Problem Primary must be supplied if any of the following has a value supplied: Age of First Use Primary, Usual Administration Primary or Use Frequency Primary.	MISSING DATA: Either age_of_first_use_primary, usual_administration_primary or use_frequency_primary were populated and substance_problem_primary was not supplied.
Content	D318E	М	Batch Reject	If Substance Problem Primary = 01 then none of the following can be supplied: Age of First Use Primary, Usual Administration Primary or Use Frequency Primary	INVALID DATA: Either age_of_first_use_primary, usual_administration_primary or use_frequency_primary were populated and substance_problem_primary is 01.
Content	D319B	M	Batch Reject	When supplied Substance Problem Secondary must be a valid value. Valid values: 02-21.	INVALID DATA: Substance_problem_secondary is not a valid value.
Content	D319C	М	Batch Reject	Substance Problem Secondary must be supplied if any of the following has a value supplied: Age of First Use Secondary, Usual Administration Secondary or Use Frequency Secondary.	MISSING DATA: Either age_of_first_use_secondary, usual_administration_secondary or use_frequency_secondary were populated and substance_problem_secondary was not supplied.
Content	D319D	М	Batch Reject	Substance Problem Secondary cannot be supplied if Substance Problem Primary is not supplied or is 01.	SEQUENCE ERROR: Substance_problem_secondary was supplied and substance_problem_primary was not supplied or is 01.

Revision Date:	02/12/2008	Author:	Ramona Johnson	Approver:	
----------------	------------	---------	----------------	-----------	--

Level 3 – AODA Content Edits

Edit Type	Edit Number	Error Category	Program Edit Level	Edit Description	Error Message
Content	D320B	М	Batch Reject	When supplied Substance Problem Tertiary must be a valid value. Valid values: 02-21.	INVALID DATA: Substance_problem_tertiary is not a valid value.
Content	D320C	М	Batch Reject	Substance Problem Tertiary must be supplied if any of the following has a value supplied: Age of First Use Tertiary, Usual Administration Tertiary or Use Frequency Tertiary.	MISSING DATA: Either age_of_first_use_tertiary, usual_administration_tertiary or use_frequency_tertiary were populated and substance_problem_tertiary was not supplied.
Content	D320D	М	Batch Reject	Substance Problem Tertiary cannot be supplied if Substance Problem Primary and Substance Problem Secondary are not supplied.	SEQUENCE ERROR: Substance_problem_tertiary was supplied and substance_problem_primary or substance_problem_secondary was not.
Content	D321B	М	Batch Reject	When supplied Use Frequency Primary must be a valid value. Valid values: 1-5.	INVALID DATA: Use_frequency_primary is not a valid value.
Content	D321C	М	Batch Reject	Use Frequency Primary must be supplied if any of the following has a value supplied: Age of First Use Primary, Substance Problem Primary > 01 or Usual Administration Primary.	MISSING DATA: Either age_of_first_use_primary, substance_problem_primary > 01 or usual_administration_primary were populated and use_frequency_primary was not supplied.
Content	D322B	М	Batch Reject	When supplied Use Frequency Secondary must be a valid value. Valid values: 1-5.	INVALID DATA: Use_frequency_secondary is not a valid value.
Content	D322C	М	Batch Reject	Use Frequency Secondary must be supplied if any of the following has a value supplied: Age of First Use Secondary, Substance Problem Secondary > 01 or Usual Administration Secondary.	MISSING DATA: Either age_of_first_use_secondary, substance_problem_secondary > 01 or usual_administration_secondary were populated and use_frequency_secondary was not supplied.
Content	D323B	М	Batch Reject	When supplied Use Frequency Tertiary must be a valid value. Valid values: 1-5.	INVALID DATA: Use_frequency_tertiary is not a valid value.

Revision Date:	02/12/2008	Author:	Ramona Johnson	Approver:	
----------------	------------	---------	----------------	-----------	--

Level 3 – AODA Content Edits

Edit Type	Edit Number	Error Category	Program Edit Level	Edit Description	Error Message
Content	D323C	М	Batch Reject	Use Frequency Tertiary must be supplied if any of the following has a value supplied: Age of First Use Tertiary, Substance Problem Tertiary > 01 or Usual Administration Tertiary.	MISSING DATA: Either age_of_first_use_tertiary, substance_problem_tertiary > 01 or usual_administration_tertiary were populated and use_frequency_tertiary was not supplied.
Content	D324B	М	Batch Reject	When supplied Usual Administration Primary must be a valid value. Valid values: 1-5.	INVALID DATA: Usual_administration_primary is not a valid value.
Content	D324C	М	Batch Reject	Usual Administration Primary must be supplied if any of the following has a value supplied: Age of First Use Primary, Substance Problem Primary > 01 or Use Frequency Primary.	MISSING DATA: Either age_of_first_use_primary, substance_problem_primary > 01 or use_frequency_primary were populated and usual_administration_primary was not supplied.
Content	D325B	М	Batch Reject	When supplied Usual Administration Secondary must be a valid value. Valid values: 1-5.	INVALID DATA: Usual_administration_secondary is not a valid value.
Content	D325C	М	Batch Reject	Usual Administration Secondary must be supplied if any of the following has a value supplied: Age of First Use Secondary, Substance Problem Secondary > 01 or Use Frequency Secondary.	MISSING DATA: Either age_of_first_use_secondary, substance_problem_secondary > 01 or use_frequency_secondary were populated and usual_administration_secondary was not supplied.
Content	D326B	М	Batch Reject	When supplied Usual Administration Tertiary must be a valid value. Valid values: 1-5.	INVALID DATA: Usual_administration_tertiary is not a valid value.
Content	D326C	М	Batch Reject	Usual Administration Tertiary must be supplied if any of the following has a value supplied: Age of First Use Tertiary, Substance Problem Tertiary > 01 or Use Frequency Tertiary.	MISSING DATA: Either age_of_first_use_tertiary, substance_problem_tertiary > 01 or use_frequency_tertiary were populated and usual_administration_tertiary was not supplied.
Content	H000C	Н	Batch Reject	Current encounter file month (from Begin Posting Date) must sequentially follow the month of last accepted submission.	INVALID SEQUENCE: Current encounter submission does not sequentially follow the last accepted submission.

Revision Date:	02/12/2008	Author:	Ramona Johnson	Approver:	
----------------	------------	---------	----------------	-----------	--

Level 3 – AODA Content Edits

Edit Type	Edit Number	Error Category	Program Edit Level	Edit Description	Error Message
Content	H002D	Н	Batch Reject	Submission Date must be less than or equal to today's date.	INVALID DATA: Submission Date is not less than or equal to today's date.
Content	H002E	Н	Batch Reject	Submission Date must be greater than or equal to End Posting Date.	INVALID DATA: Submission Date is not greater than or equal to End Posting Date.
Content	H003D	Н	Batch Reject	Begin Posting Date must be less than End Posting Date.	INVALID DATA: Begin Posting Date is not less than End Posting Date.
Content	H003E	Н	Batch Reject	Begin Posting Date must be the first date for that month.	INVALID DATA: Begin Posting Date is not the first date for that month.
Content	H004D	Н	Batch Reject	End Posting Date must be greater than Begin Posting Date.	INVALID DATA: End Posting date is not greater than Begin Posting Date.
Content	H004E	Н	Batch Reject	End Posting Date must be the last date for that month.	INVALID DATA: End Posting Date is not the last date for that month.
Content	H004F	Н	Batch Reject	Begin Posting Date and End Posting Date must have the same month and year.	INVALID DATA: Begin Posting Date and the End Posting Date must contain the same month and year.
Content	H005C	н	Batch Reject	Number of Records Transmitted must be equal to the number of detail records in a submission.	MISMATCHING DATA: Number of Records Transmitted does not equal the number of detail records in this submission.

Revision Date:	02/12/2008	Author:	Ramona Johnson	Approver:	
----------------	------------	---------	----------------	-----------	--

Level 3 – AODA Content Edits MEDS – LTCare Encounter Reporting

Date	Changes	Changed By	Remarks/Reason
10/26//07	Document is baselined at version 1. Going forward, all client's requested changes would be implemented into the baseline document, and recorded into the change log.	Ramona Johnson	One time document base lining. Content Edits: Mental Health
10/30/07	Add content edits, and REMOVE D075D: replaced by edit D075J.	Charles Rumberger	Content Edit Descriptions and Severity/Program Edit Levels updates.
11/06/07	Received additional content edits to update AODA doc.	Charles Rumberger	Content Edit Descriptions and Severity/Program Edit Levels updates.
11/06/07	Doc updated to include the following additional content edits: D075D removed and replaced by D075J, D202B, D203B & C, D204B, C & D, D207B, D208B, D209B, D210B, D227B, C, D, E, F, D228B, D229B, C, D, E, F, D235B, D239B, D240B, D245B, D247B, D248B, C, D249B, C & D, D250B, C, D, D251B, C & D, D273B.	Ramona Johnson	Content Edit Descriptions and Severity/Program Edit Levels updates.
11/16/07	Received additional content edits to update AODA doc.	Charles Rumberger	Content Tag Names, Edit Descriptions and Severity/Program Edit Levels updates, which included group error messages with record types.
11/21/07	Doc updated to include the following additional content edits: D010E, D227F, D245B & C, D253B, D255B, D257B, D258B, C & D, D259B & C, D260B, D261B, C & D, D262B, D267B, D271B & C, and D273B.	Ramona Johnson	Content Tag Names, Edit Descriptions and Severity/Program Edit Levels updates, which included group error messages with record types.
01/04/08	Edit Changes: D255B Edit description will now read "When Social Security Number is provided and one exists in the database and Adjustment Type Detail is not CKC then they must equal."	Ramona Johnson	Patrick Thompson suggested rewording the description for clarity and it was approved by Client:: Content edit D255B social_security_number description.

Revision Date:	02/12/2008	Author:	Ramona Johnson	Approver:	
----------------	------------	---------	----------------	-----------	--

Level 3 – AODA Content Edits MEDS – LTCare Encounter Reporting

Date	Changes	Changed By	Remarks/Reason
01/05/08	Doc updated to include additional column headings: Edit Type and Error Messages.	Ramona Johnson	AODA content edits column headings added.
01/09/08	Received additional content edits from Charles Rumberger (01-08-08) to update AODA: doc updated to include additional content edits: D235C, D253B	Ramona Johnson	Content Tag Names, Edit Descriptions and Severity/Program Edit Levels updates, which included group error messages with record types.
02/12/08	Revised AODA Content Edits: D301B, and D302B	Ramona Johnson	Content Edit descriptions and error message verbiage revisions
04/01/08	Revised AODA Content Edits: D071F, D227F, D300B, and D307C.	Phyllis Schmoller	Content Edit description and error message verbiage revisions per customer request.
05/16/08	Removed D305C edit which is handled as a parser edit and renamed D305D to D305C.	Phyllis Schmoller	Content Edit description and error message verbiage revisions per customer request.
06/17/08	Removed D006E edit and modified description for D006D.	Phyllis Schmoller	Changes made per Bug 2317.
08/05/08	Modified the description and error message for D002A.	Phyllis Schmoller	Changes per Bug 2358.
09/03/08	Changed valid values for Edits D259B, D267B and D309C.	Phyllis Schmoller	Changes per user request.
9/17/08	Removed Edits D074A, D227B, C,D,E,F, D228B, D229B,C,D,E, F, D317B and D317D. Renamed D317C to D317B. Changed D317B, D318B,C, D, D319B,C,D, D320B,C,D, D321B,C, D322B,C, D324B,C, D325B,C, and D326B,C from Batch Accept to Batch Reject.	Phyllis Schmoller	Changes per user request.

Revision Date:	02/12/2008	Author:	Ramona Johnson	Approver:	
----------------	------------	---------	----------------	-----------	--

Level 3 – AODA Content Edits MEDS – LTCare Encounter Reporting

Date	Changes	Changed By	Remarks/Reason
9/18/08	Removed Edits D300E, D301D, D302D, D318E, D319E, D320E, D321D, D322D, D323D, D324D, D325D and D326D.	Phyllis Schmoller	Removed per customer request.
9/19/08	Removed valid values for Edit D253B.	Phyllis Schmoller	Removed per customer request.
9/24/08	Updated the following edits to match spreadsheet: D002A, D006D, D253B, D259B, D260B, D260C, D261D, D273B, D303C, D304C, D304D, D305C, D306C, D306D, D308D, D309D, D315B, D317B, D318B, D319B, D319D, D320B, D321B, D322B, D323B, D324B, D325B and D326B. Removed D010F and D059B. Added D273C, D303B, D303D and D318E.	Phyllis Schmoller	Updated edits to be in sync with Charles' most recent spreadsheet dated 9/5/08.
10/30/08	Changed valid values for Edit D308C.	Phyllis Schmoller	Updated per Bugzilla 2379.
11/13/2008	Removed obsolete edit D006C.	Phyllis Schmoller	Changed per Bugzilla 2385.
12/30/2008	Added the following edits: D010E, D042A, D042C, D042D, D042E, D043A, D043C, D053B, D261E. Updated the following edits: D071F, D257B, D258B, D258E, D261B, D261C, D261D, D300B.	Phyllis Schmoller	Made updates to match Charles' spreadsheets dated 11/24/08 and 12/05/08.
2/11/2009	Added D010F. Changed D255B, D258B, D271B and D317B.	Phyllis Schmoller	Made updates to match Charles' spreadsheets dated 1/27, 1/29 and 2/11/09.
2/26/2009	Changed descriptions on edits D002A, D258E, D273C, D307C. Added D307E. Changed severity on edits D042C, D042D, D042E, D043C, D052A, D053B, D053D.	Phyllis Schmoller	Made updates to match Charles' spreadsheet dated 2/24/09.

|--|

Level 3 – AODA Content Edits

MEDS – LTCare Encounter Reporting

Date	Changes	Changed By	Remarks/Reason